




EVBS-26, 26" EVS Vertical Bandsaw


Product Images




BUILT-IN CHIP BLOWER AND MAGNIFYING GLASS



4.2 KVA BI-METAL BLADE WELDING STATION




EASILY ADJUSTABLE BLADE GUARD



GROUND ARTICULATING TABLE MITERS 10° LEFT & 45° RIGHT FOR CONTOUR CUTTING



PRECISION BALANCED CAST-IRON BLADE WHEELS



FOLLOWING STRICT GUIDELINES AND ELECTRICAL REQUIREMENTS, ALL ELITE MACHINES ARE CSA/CUS CERTIFIED FOR INCREASED SAFETY



Description

Elite EVS Vertical Bandsaws are the perfect blend of power and balance. Featuring variable speed drive-train with precision balanced cast-iron blade wheels with a bonded rubber blade track, precision ground articulating table, 4.2 KVA Bi-Metal Blade stations, and CSA / CUS Certification make Elite vertical bandsaws the choice for precision sawing of ferrous and non-ferrous materials.

Additional Information

Stock Number	JT9-891115
Blade Length (In.)	185-1/2
Blade Speeds (SFPM)	Variable 50-5000
Blade Width (Min.-Max.) (In.)	1/8 - 1
Gross Weight (Lbs)	1655
Height Capacity (Max.) (In.)	14
Motor (HP)	2HP, 230/460V, 3-Phase
Net Weight (Lbs.)	1433
Overall Dimensions (L x W x H) (In.)	51 x 32 x 83-1/2
Overall Height (In.)	83-1/2
Prop 65	Cancer and Reproductive Harm
Table Height (In.)	39-3/8
Table Size (L x W) (In.)	27-1/2 x 23-1/2
Throat Capacity (In.)	26
Weight (Lbs.)	1433
Welding voltage (V)	4.2 KVA Bi-Metal Welder
Electrics	2HP, 230/460V, 3 Phase
Prewired Voltage (V.)	230